

## ANALYSIS REPORT

Amended report FOR SEPARATE REPORTS

**To:** BOB BENTZINGER (ES)  
SHEPHERD SPECIALTY PAPERS  
PO BOX 64  
WATERTOWN TN 37184  
Fax: (615)237-3267

**CC:** KENT CRIPPS (E)

Page 1 of 1

**Sample Number:** L1915514-7

**Receipt Date:** 07/05/2019

**Client:** SHEPHERD SPECIALTY PAPERS

**Report Date:** 07/23/2019

**Sample and Description**

**Analyses and Results**

	<b>SVEZ : Salmonella VIDAS EASY SLM : per 25g</b>	<b>TCM3 : Total Coliforms : MPN/g</b>	<b>TPC : Aerobic Plate Count : cfu/g</b>	<b>TYM : Mold : cfu/g</b>	<b>TYM : Yeast : cfu/g</b>
<b>007 : SHEPHERD SHACK SK/SKD06119 -</b>	NEGATIVE	<3	1.4 X 10 <sup>2</sup> *	<10	<10

\* Estimated Count      # Preliminary Count

Person responsible for report content: Kim Hartung, Team Lead, Microbiology Laboratory

The test code located next to each assay is a method reference code. Results are for sample submitted only and apply to the sample as received. This report shall not be reproduced, except in its entirety, without the written permission of NP Analytical

For additional information, contact Customer Services at 800-423-6832 or 314-982-1310.

MI2019072307310019

The symbol "<" or the words "less than" signifies that no analyte was measured at or above the stated lower limit of quantitation of the procedure under the conditions employed. The use of the symbol ">" or the words "greater than" signifies that the analyte was determined to be present in an amount greater than the stated level. Samples submitted to NP Analytical Laboratories for testing are retained for a minimum of thirty (30) days after the analysis report is issued when sample stability permits. Requests for extended storage must be made to NP Analytical Laboratories prior to or at the time of sample submission.

**ANALYSIS REPORT**

To: BOB BENTZINGER (ES)  
SHEPHERD SPECIALTY PAPERS  
PO BOX 64  
WATERTOWN TN 37184

CC: KENT CRIPPS (E)

Page 1 of 2

Sample No.: L1915514-7      Receipt Date: 07/05/2019  
Report Date: 07/18/2019

SHEPHERD SHACK SK/SKD06119

Test Code	Assay / Analyte	Result	Units
BI	<b>Bismuth</b>		
	Bismuth	< 2.50	ppm
MGF	<b>Magnesium</b>		
	Magnesium	492.5	ppm
HG	<b>Mercury, by Thermal Decomposition</b>		
	Mercury	< 0.025	ppm
ICPHM	<b>Heavy Metals via ICP-MS</b>		
	Arsenic	< 0.0500	ppm
	Selenium	< 0.0500	ppm
	Cadmium	< 0.0500	ppm
	Lead	0.253	ppm
ZNF	<b>Zinc</b>		
	Zinc	< 1.00	ppm
PESTP	<b>Organophosphates and Chlorinated Pestic.</b>		
	Diazinon	< 0.0200	ppm
	Disulfoton	< 0.0200	ppm
	Ethion	< 0.0200	ppm
	Malathion	< 0.0200	ppm
	Methyl Parathion	< 0.0200	ppm
	Parathion	< 0.0200	ppm
	Thimet	< 0.0200	ppm
	Thiodan	< 0.0200	ppm

Person responsible for report content: Karen Regina, Manager, Chemistry Laboratories.

The test code located next to each assay is a method reference code. Results are for samples submitted only and apply to the sample as received. This report shall not be reproduced, except in its entirety, without the written permission of NP Analytical

For additional information, contact Customer Services at 800-423-6832 or 314-982-1310.

The information contained in this document is being transmitted in confidence. If you have received this document in error, please notify NPAL and destroy the document. CH2019071821360091

The symbol "<" or the words "less than" signifies that no analyte was measured at or above the stated lower limit of quantitation of the procedure under the conditions employed. The use of the symbol ">" or the words "greater than" signifies that the analyte was determined to be present in an amount greater than the stated level. Samples submitted to NP Analytical Laboratories for testing are retained for a minimum of thirty (30) days after the analysis report is issued when sample stability permits. Requests for extended storage must be made to NP Analytical Laboratories prior to or at the time of sample submission.

Sample No.: L1915514-7

Received: 07/05/2019

Page 2 of 2

Reported: 07/18/2019

SHEPHERD SHACK SK/SKD06119

Test Code	Assay / Analyte	Result	Units
PESTP	<b>Organophosphates and Chlorinated Pestic.</b>		
	Trithion	< 0.0200	ppm
	Heptachlor Epoxide	< 0.0200	ppm
	Heptachlor	< 0.0200	ppm
	DDE	< 0.0200	ppm
	Lindane	< 0.0200	ppm
	Endrin	< 0.0200	ppm
	Mirex	< 0.0200	ppm
	Alpha-BHC	< 0.0200	ppm
	Delta-BHC	< 0.0200	ppm
	Aldrin	< 0.0200	ppm
	Dieldrin	< 0.0200	ppm
	DDT	< 0.0200	ppm
	Chlordane	< 0.0200	ppm
	Methoxychlor	< 0.0200	ppm
Beta-BHC	< 0.0200	ppm	
HCB	< 0.0200	ppm	
PCB	< 0.0500	ppm	
AFTX	<b>Aflatoxin screen, ELISA</b>		
	Aflatoxins	< 5.0	ppb

Person responsible for report content: Karen Regina, Manager, Chemistry Laboratories.

The test code located next to each assay is a method reference code. Results are for samples submitted only and apply to the sample as received. This report shall not be reproduced, except in its entirety, without the written permission of NP Analytical

For additional information, contact Customer Services at 800-423-6832 or 314-982-1310.

The information contained in this document is being transmitted in confidence. If you have received this document in error, please notify NPAL and destroy the document. CH2019071821360092

The symbol "<" or the words "less than" signifies that no analyte was measured at or above the stated lower limit of quantitation of the procedure under the conditions employed. The use of the symbol ">" or the words "greater than" signifies that the analyte was determined to be present in an amount greater than the stated level. Samples submitted to NP Analytical Laboratories for testing are retained for a minimum of thirty (30) days after the analysis report is issued when sample stability permits. Requests for extended storage must be made to NP Analytical Laboratories prior to or at the time of sample submission.